



Research Models and Services

Neuroscience - Outbred Rats

Sprague Dawley® Rat Hsd:Sprague Dawley® SD®

Established in 1925 by Robert Dawley, the original Sprague Dawley rat colony was obtained by Harlan in 1980 through the acquisition of Sprague-Dawley, Inc. Harlan became Envigo in 2015. The Hsd:Sprague Dawley® SD® rat has a wide array of historical research use including in the field of neuroscience. In order to provide historical and reference data for the research community, several of these articles are noted below.

Custom Neuroscience Models

- + Neuroendocrine Deficiency - Hypophysectomy
- + Adrenalectomy
- + Adrenal Demedullation

Research Use

Genetics

- + Gene therapy (53)
- + Microarray analysis (36, 50, 65)
- + Genomic response following ischemia (8, 55)

Neuronal Function

- + Neuronal differentiation (30, 36, 51)
- + Neuronal protection (7, 41)
- + Sensory neurons (21)
- + Motoneurons (24, 33)
- + Corticospinal axon branching (15)

Memory

- + Spatial memory (22, 66)
- + Induced memory impairment (6, 40)
- + Working memory (6)

Neuroendocrinology

- + Neurotransmitter activity (29, 32, 35, 37)
- + Dopaminergic neurons (10, 44, 45)
- + Dopamine metabolism (37)
- + Glutamate (25, 56, 43, 54)
- + Hypothalamic glucose concentration (17)
- + Orexin effects and distribution (13, 57, 58)

Oxidative Stress

- + Induction of oxidative stress (9, 31, 39, 41, 45)
- + Protection from oxidative stress (11, 44)

Stress

- + Trauma stress response (4)
- + Activation of MAP kinase pathway (4, 70)

Nociception

- + Isopropane function (20)
- + Pain sensitivity (26)
- + Peripheral nerve injury (28, 62, 71)
- + Nociceptive signaling (46)
- + Spinal nociceptive neurons (64)

Drug Addiction

- + Fetal alcohol exposure (1)
- + Tobacco toxins (9)
- + Cocaine and behavior (2, 27, 59)

Depression

- + Antidepressant activity (3, 34)

Neurological Effects of Nutrition

- + Dietary iron (19, 47, 52)
- + Zinc deficiency (29)
- + Carbohydrate source (68)
- + Vitamin E (50)

Seizures

- + Induced excitotoxicity (41)
- + Medical intractability (61)
- + Epilepsy (49, 61, 63)

Ischemia

- + Neuroprotection (12, 39, 56, 62, 69)
- + Treatment (12, 60)
- + Neurotrophin levels (14)
- + Neuronal damage (12)
- + Ischemic tolerance (8)
- + Anesthesia effects (18)
- + Behavioral impairments (23, 60, 69)
- + Dietary restriction effects (69)
- + Protein expression (38, 67)

Brain Injury

- + Chemical lesions (16)
- + Hypoxia-induced hippocampal injury (48)
- + Intracerebral hemorrhage (52)
- + Percussion brain injury (73)
- + Gene expression profile following injury (55)
- + Thrombin induced injury (40)

Neurotoxicity

- + Exogenous (10, 42, 45, 72)
- + Endogenous (11, 40, 56)

References

1. Allan, A. M., Wu, H., Paxton, L. L., & Savage, D. D. (1998). Prenatal ethanol exposure alters the modulation of the γ -aminobutyric acidA receptor-gated chloride ion channel in adult rat offspring. *JPET*, 284, 250-257.
2. Badiani, A., Brownman, K. E., & Robinson, T. E. (1995). Influence of novel versus home environments on sensitization to the psychomotor stimulant effects of cocaine and amphetamine. *Brain Research*, 674, 291-298.
3. Balcells-Olivero, M., Cousins, M. S., & Seiden, L. S. (1998). Holtzman and Harlan Sprague-Dawley rats: Differences in DRL 72-Sec performance and 8-hydroxy-dl-propylamino tetralin-induced hypothermia. *JPET*, 286, 742-752.
4. Ballard-Croft, C., Maass, D. L., Sikes, P., White, J., & Horton, J. (2002). Activation of stress-response pathways by the sympathetic nervous system in burn trauma. *Shock*, 18, 38-45.
5. Bareyre, F. M., Raghupathi, R., Saatman, K. E., & McIntosh, T. K. (2001). DNase I disinhibition is predominantly associated with actin hyperpolymerization after traumatic brain injury. *Journal of Neurochemistry*, 77, 173-181.
6. Bejar, C., Wang, R. H., & Weinstock, M. (1999). Effect of rivastigmine on scopolamine-induced memory impairment in rats. *European Journal of Pharmacology*, 383, 231-240.
7. Berent-Spillson, A., Robinson, A. M., Golovoy, D., Slusher, B., Rojasand, C., & Russell, J.W. (2004). Protection against glucose-induced neuronal death by NAAG and GCP II inhibition is regulated by mGluR3. *Journal of Neurochemistry*, 89, 90-99.
8. Bernaudin, M., Tang, Y., Reilly, M., Petit, E., & Sharp, F. R. (2002). Brain genomic response following hypoxia and re-oxygenation in the neonatal rat. *The Journal of Biological Chemistry*, 277, 39728-39738.
9. Bhagwat, S. V., Vijayasarathy, C., Raza, H., Mullick, J., & Avadhani, N. G. (1998). Preferential effects of nicotine and 4-(N-methyl-N-nitrosamino)-1-(3-pyridyl)-1-butane on mitochondrial glutathione S-transferase A4-4 induction and increased oxidative stress in the rat brain. *Biochem Pharmacol*, 56, 831-839.
10. Bilsland, J., Roy, S., Xanthoudakis, S., Nicholson, D. W., Han, Y., Grimm, E., et al. (2002). Caspase inhibitors attenuate 1-methyl-4-phenylpyridinium toxicity in primary cultures of mesencephalic dopaminergic neurons. *J Neurosci*, 22, 2637-2649.
11. Cabrera, J., Reiter, R. J., Tan, D. X., Qi, W., Sainz, R. M., Mayo, J. C., et al. (2000). Melatonin reduces oxidative neurotoxicity due to quinolinic acid: In vitro and in vivo findings. *Neuropharmacology*, 39, 507-514.
12. Calvert, J. W., Yin, W., Patel, M., Badr, A., Mychaskiw, G., Parent, A. D., et al. (2002). Hyperbaric oxygenation prevented brain injury induced by hypoxia-ischemia in a neonatal rat model. *Brain Research*, 951, 1-8.
13. Chen, C. T., Hwang, L. L., Chang, J. K., & Dun, N. J. (2000). Pressor effects of orexins injected intracerebrally and rostral ventrolateral medulla of anesthetized rats. *Am J Physiol Regul Integr Comp Physiol*, 278, 692-697.
14. D'Cruz, B. J., Fertig, K. C., Filiano, A. J., Hicks, S. D., DeFranco, D. B., & Callaway, C.W. (2002). Hypothermic reperfusion after cardiac arrest augments brain-derived neurotrophic factor activation. *J Cerebral Blood Flow and Metabolism*, 22, 843-851.
15. Daston, M. M., Bastmeyer, M., Rutishauser, U., & O'Leary, D. D. (1996). Spatially restricted increase in polysialic acid enhances corticospinal axon branching related to target recognition and innervation. *The Journal of Neuroscience*, 16, 5488-5497.
16. de Lacalle, S., Kulkarni, S., & Muñoz, E. J. (1997). Plasticity of galaninergic fibers following neurotoxic damage within the rat basal forebrain: initial observations. *Experimental Neurology*, 146, 361-366.
17. de Vries, M. G., Arseneau, L. M., Lawson, M. E., & Beverly, J. L. (2003). Extracellular glucose in rat ventromedial hypothalamus during acute and recurrent hypoglycemia. *Diabetes*, 52, 2767-2773.
18. Elsery, H., Sheng, H., Lynch, J. R., Moldovan, M., Pearlstein, R. D., & Warner, D. S. (2004). Effects of isoflurane versus fentanyl-nitrous oxide anesthesia on long-term outcome from severe forebrain ischemia in the rat. *Anesthesiology*, 100, 1160-6.
19. Erikson, K. M., Piñero, D. J., Connor, J. R., & Beard, J. L. (1997). Regional brain iron, ferritin and transferrin concentrations during iron deficiency and iron repletion in developing rats. *J Nutr*, 127, 2030-2038.
20. Evans, A. R., Junger, H., Southall, M. D., Nicol, G. D., Sorkin, L. S., Broome, J. T., et al. (2000). Isoprostanes, novel eicosanoids that produce nociception and sensitize rat sensory neurons. *JPET*, 293, 912-920.
21. Evans, A. R., Nicol, G. D., & Vasko, M. R. (1996). Differential regulation of evoked peptide release by voltage-sensitive calcium channels in rat sensory neurons. *Brain Research*, 712, 265-273.
22. Gibbs, R. B. (2000). Long-term treatment with estrogen and progesterone enhances acquisition of a spatial memory task by ovariectomized aged rats. *Neurobiology of Aging*, 21, 107-116.
23. Gionet, T. X., Thomas, J. D., Warner, D. S., Goodlett, C. R., Wasserman, E. A., & West, J. R. (1991). Forebrain ischemia induces selective behavioral impairments associated with hippocampal injury in rats. *Stroke*, 22, 1040-1047.
24. Goldstein, L. A., & Sengelaub, D. R. (1992). Timing and duration of dihydrotestosterone treatment affect the development of motoneuron number and morphology in a sexually dimorphic rat spinal nucleus. *The Journal of Comparative Neurology*, 326, 147-157.
25. Gore, A. C., Wu, T. J., Rosenberg, J. J., & Roberts, J. L. (1996). Gonadotropin-releasing hormone and NMDA receptor gene expression and colocalization change during puberty in female rats. *The Journal of Neuroscience*, 16, 5281-5289.
26. Heylinger, S. O., Goodman, C. B., Ngong, J. M., & Soliman, K. F. (1998). The analgesic effects of tryptophan and its metabolites in the rat. *Pharmacol Res*, 38, 243-250.
27. Hotsenpiller, G., & Wolf, M. E. (2002). Conditioned locomotion is not correlated with behavioral sensitization to cocaine: An intra-laboratory multi-sample analysis. *Neuropsychopharmacology*, 27, 924-929.
28. Hung, K., Yoon, Y. W., & Chung, J. M. (1997). Sprouting sympathetic fibers form synaptic varicosities in the dorsal root ganglion of the rat with neuropathic injury. *Brain Research*, 751, 275-280.
29. Huntington, C. E., Shay, N. F., Grouzmann, E., Arsenau, L. M., & Beverly, J. L. (2002). Zinc status affects neurotransmitter activity in the paraventricular nucleus of rats. *J Nutr*, 132, 270-275.
30. Irvins, J. K., Parry, M. K., & Long, D. A. (2004). A novel cAMP-dependent pathway activates neuronal integrin function in retinal neurons. *J Neurosci*, 24, 1212-1216.
31. Jiang, J., Xu, Y., & Klaunig, J. E. (1998). Induction of oxidative stress in rat brain by Acrylonitrile (ACN). *Toxicological Sciences*, 33, 333-341.
32. Kondo, I., Marvizon, J. C., Song, B., Salgado, F., Codeluppi, S., Hua, X. Y., et al. (2005). Inhibition by spinal μ - and δ -opioid agonists of afferent-evoked substance P release. *The Journal of Neuroscience*, 25, 3651-3660.
33. Kurz, E. M., Cover, A. R., & Sengelaub, D. R. (1992). Testosterone fails to save androgen-sensitive rat motoneurons following early target removal. *Developmental Brain Research*, 70, 181-189.
34. Li, X., Tizzano, J. P., Griffey, K., Clay, M., Lindstrom, T., & Skolnick, P. (2001). Antidepressant-like actions of an AMPA receptor potentiator (LY392098). *Neuropharmacology*, 40, 1028-1033.
35. Lu, J., Björkum, A. A., Xu, M., Gaus, S. E., Shiromani, P. J., & Saper, C. B. (2002). Selective activation of the extended ventrolateral preoptic nucleus during rapid eye movement sleep. *The Journal of Neuroscience*, 22, 4568-4576.
36. Luo, Y., Cai, J., Liu, Y., Xue, H., Chrest, F. J., Wersto, R. P., et al. (2002). Microarray analysis of selected genes in neural stem and progenitor cells. *J Neurochem*, 83, 1481-1497.
37. Manyam, B. V., Dhanasekaran, M., & Hare, T. A. (2004). Effect of antiparkinson drug HP-200 (Mucuna pruriens) on the central monoaminergic neurotransmitters. *Phytoter Res*, 18, 97-101.
38. Matsuo, N., Ogawa, S., Takagi, T., Wanaka, A., Mori, T., Matsuyama, T., et al. (1997). Cloning of a putative vesicle transport-related protein, RA4410, from cultured rat astrocytes and its expression in ischemic rat brain. *J of Biological Chemistry*, 272, 16438-16444.
39. Mehta, S. H., Webb, R. C., Ergul, A., Tawak, A., & Dorrance, A. M. (2004). Neuroprotection by temol in a model of iron-induced oxidative stress in acute ischemic stroke. *Am J Physiol Regul Integr Comp Physiol*, 286, R283-R288.
40. Mhatre, M., Nguyen, A., Kashani, S., Pham, T., Adesina, A., & Grammas, P. (2004). Thrombin, a mediator of neurotoxicity and memory impairment. *Neurobiology of Aging*, 25, 783-793.
41. Milatovic, D., Gupta, R. C., & Dettbarn, W. D. (2002). Involvement of nitric oxide in kainic acid-induced excitotoxicity in rat brain. *Brain Research*, 957, 330-337.
42. Moulder, K. L., Onodera, O., Burke, J. R., Strittmatter, W. J., & Johnson, Jr., E. M. (1999). Generation of neuronal intranuclear inclusions by polyglutamine-GFP: Analysis of inclusion clearance and toxicity as a function of polyglutamine length. *J Neurosci*, 19, 705-715.
43. Myers, S. J., Peters, J., Huang, Y., Comer, M. B., Barthel, F., & Dingledine, R. (1998). Transcriptional regulation of the GluR2 gene: Neural-specific expression, multiple promoters, and regulatory elements. *The Journal of Neuroscience*, 18, 6723-6739.
44. Nakamura, K., Bindokas, V. P., Cowless, D., Elas, M., Milstien, S., Marks, J. D., et al. (2001). Tetrahydrobiopterin scavenges superoxide in dopaminergic neurons. *The Journal of Biological Chemistry*, 276, 34402-34407.
45. Nakamura, K., Bindokas, V. P., Marks, J. D., Wright, D. A., Frim, D. M., Miller, R. J., et al. (2000). The selective toxicity of 1-methyl-4-phenylpyridinium to dopaminergic neurons: The role of mitochondrial complex I and reactive oxygen species revisited. *MOL*, 58, 271-278.
46. Pareek, T. K., Keller, J., Kesavapany, J., Pant, H. C., Iadarola, M. J., Brady, R. O., et al. (2006). Cyclin-dependent kinase 5 activity regulates pain signaling. *Proc Natl Acad Sci*, 103, 791-796.
47. Piñero, D. J., Li, N. Q., Connor, J. R., & Beard, J. L. (2000). Variations in dietary iron alter brain iron metabolism in developing rats. *Journal of Nutrition*, 130, 254-263.
48. Raman, L., Tkac, I., Ennis, K., Georgieff, M. K., Gruetter, R., & Rao, R. (2005). In vivo effect of chronic hypoxia on the neurochemical profile of the developing rat hippocampus. *Developmental Brain Research*, 156, 202-209.
49. Raza, M., Blair, R. E., Sombati, S., Carter, D. S., Deshpande, L. S., & DeLorenzo, R. J. (2004). Evidence that injury-induced changes in hippocampal neuronal calcium dynamics during epileptogenesis cause acquired epilepsy. *Proc Natl Acad Sci*, 101, 1752-1757.
50. Roy, S., Lado, B. H., Khanna, S., & Sen, C. K. (2002). Vitamin E sensitive genes in the developing rat fetal brain: A high-density oligonucleotide microarray analysis. *FEBS Letters*, 530, 17-23.
51. Sanchez-Ramos, J., Song, S., Cardozo-Pelaez, F., Hazzi, C., Stedeford, T., Willing, A., et al. (2000). Adult bone marrow stromal cells differentiate into neural cells in vitro. *Experimental Neurology*, 164, 247-256.
52. Shao, J., Xi, G., Hua, Y., Schallert, T., & Felt, B. (2005). Intracerebral hemorrhage in the iron-deficient rat. *Stroke*, 36, 660-664.
53. Shi, N., & Pardridge, W. M. (2000). Noninvasive gene targeting to the brain. *Proc Natl Acad Sci*, 97, 7567-7572.
54. Sloviter, R. S., Sollas, A. L., & Neubort, S. (1995). Hippocampal dentate granule cell degeneration after adrenalectomy in the rat is not reversed by dexamethasone. *Brain Research*, 682, 227-230.
55. Tang, Y., Nee, A. C., Lu, A., Ran, R., & Sharp, F. R. (2003). Blood genomic expression profile for neuronal injury. *Journal of Cerebral Blood Flow & Metabolism*, 23, 310-331.
56. Thomas, A. G., Vornov, J. J., Olkowski, J. L., Merion, A. T., & Slusher, B. S. (2000). N-Acetylated α -linked acidic dipeptidase converts N-Acetylasparylglutamate from a neuroprotectant to a neurotoxin. *J Pharmacol Exp Ther*, 295, 16-2.
57. Thorpe, A. J., Mullett, M. A., Wang, C., & Kotz, C. M. (2003). Regional, metabolic, and circadian specificity of lateral hypothalamic orexin A feeding stimulation. *Am J Physiol Regul Integr Comp Physiol*, 284, 1409-1417.
58. Trivedi, P., Yu, H., MacNeil, D. J., van der Ploeg, L. H., & Guan, X. M. (1998). Distribution of orexin receptor mRNA in the rat brain. *FEBS Letters*, 438, 71-75.
59. Uslaner, J. M., Yang, P., & Robinson, T. E. (2005). Subthalamic nucleus lesions enhance the psychomotor-activating, incentive motivational, and neurobiological effects of cocaine. *The Journal of Neuroscience*, 25, 8407-8415.
60. Vendrame, M., Cassidy, J., Newcomb, J., Butler, T., Pennypacker, K. R., Zigova, T., et al. (2004). Infusion of human umbilical cord blood cells in a rat model of stroke dose-dependently rescues behavioral deficits and reduces infarct volume. *Stroke*, 35, 2390-2395.
61. Volk, H. A., & Löscher, W. (2005). Multidrug resistance in epilepsy: rats with drug resistant seizures exhibit enhanced brain expression of P-glycoprotein compared with rats with drug-responsive seizures. *Brain*, 128, 1358-1368.
62. Wei, X., Zhao, L., Ma, Z., Holtzman, D. M., Yan, C., Dodel, R. C., et al. (2004). Caffeic acid phenethyl ester prevents neonatal hypoxic-ischemic brain injury. *Brain*, 127, 2629-2635.
63. Williams, P. A., Wuarin, J. P., Dou, P., Ferraro, D. J., & Dudek, F. E. (2002). Reassessment of the effects of cycloheximide on mossy fiber sprouting and epileptogenesis in the pilocarpine model of temporal lobe epilepsy. *J Neurophysiol*, 88, 2075-2087.
64. Wu, J., Su, G., Ma, L., Zhang, X., Lei, Y., Li, Q., et al. (2005). Protein kinases mediate increment of the phosphorylation of cyclic AMP-response element binding protein in spinal cord of rats following capsaicin injection. *Molecular Pain*, 1, 26.
65. Valder, C.R., Liu, J.J., Song, Y., & Luo, Z.D. (2003). Coupling gene chip analyses and rat genetic variances in identifying potential target genes that may contribute to neuropathic allodynia development. *Journal of Neurochemistry*, 87, 560-573.
66. Vazdarjanova, A., & Guzowski, J. F. (2004). Differences in hippocampal neuronal population responses to modifications of an environmental context: evidence for distinct, yet complementary, functions of CA3 and CA1 ensembles. *The Journal of Neuroscience*, 24, 6489-6496.
67. Yang, H. C., Mosior, M., Ni, B., & Dennis, E. A. (1999). Regional distribution, ontogeny, purification, and characterization of the Ca²⁺-independent phospholipase A2 from rat brain. *J Neurochem*, 73, 1278-1287.
68. Young, J. B., Weiss, J., & Boufah, N. (2004). Effects of dietary monosaccharides on sympathetic nervous system activity in adipose tissues of male rats. *Diabetes*, 53, 1271-1278.
69. Yu, Z. F., & Mattson, M. P. (1999). Dietary restriction and 2-Deoxyglucose administration reduce focal ischemic brain damage and improve behavioral outcome: evidence for a preconditioning mechanism. *Journal of Neuroscience Research*, 57, 830-839.
70. Zhang, P., Hogan, E. L., & Bhat, N. R. (1998). Activation of JNK/SAPK in primary glial Cultures: II. differential activation of kinase isoforms corresponds to their differential expression. *Neurochemical Research*, 23, 219-225.
71. Zhang, Y., Conklin, D. R., Li, X., & Eisenach, J. C. (2005). Intrathecal morphine reduces allodynia after peripheral nerve injury in rats via activation of a spinal A1 adenosine receptor. *Anesthesiology*, 102, 416-420.
72. Zheng, W., Zhao, Q., Slavkovich, V., Aschner, M., & Graziano, J. H. (1999). Alteration of iron homeostasis following chronic exposure to manganese in rats. *Brain Research*, 833, 125-132.
73. Zhong, C., Zhao, X., Van, K.C., Bzduga, T., Smyth, A., Zhou, J., et al. (2006) NAAG peptidase inhibitor increases dialysate NAAG and reduces glutamate, aspartate and GABA levels in the dorsal hippocampus following fluid percussion injury in the rat. *Journal of Neurochemistry*, 97, 1015-1025.

Contact us

EU and Asia envigo.com/contactus

Envigo RMS Division, 8520 Allison Pointe Blvd., Suite 400, Indianapolis, IN 46250, United States

© 2016 Envigo.

+++
ENVIGO

RMS-0116-EU-01-DS-159