



Wistar Han® Rat

RccHan®:WIST

Origin

The original Hannover Institute colony was obtained by the Institute for Biomedical Research (IBM) and received by Harlan by acquisition of RCC, formerly Biological Research Laboratories Limited (BRL), Füllinsdorf, Switzerland. Harlan became Envigo in 2015.

Improving Toxicology Outcomes

- + Smaller body size - less compound and cost
- + Lower tumor incidence - reduced variables
- + Longer survival - improved study outcome
- + More than 20 years of stable control data

Research Use

Inhalation

- + Changes in rat lung after intratracheal instillation of polymers (13)
- + Particulate air pollution and biological effect in samples from four European cities (55)
- + Biopersistence and histopathology following exposure to asbestos and tremolite (8)
- + Short-term assays to evaluate toxicity of new biosoluble glasswool fibers (27)

Cardiotoxicity

- + Biomarker identification (62)

Hepatotoxicity

- + Reduction of CCl₄-induced hepatotoxicity (27)
- + Hepatotoxic effects from a hypoglycemic agent and conazole fungicides (2, 26)

Nephrotoxicity

- + Cyclosporine A nephrotoxicity and vitamin D pathway impairment (1, 24)
- + Chronic inhibition of metabolizing enzymes on renal function (54)

Neurotoxicity

- + Immunohistochemical analysis for Pulmonary Neuroendocrine Cells (25)
- + Minimizing creatine kinase variability for neuromuscular research purposes (23)
- + Organic cation activity on a plasma membrane serotonin
- + Dopamine function due to conditional fear responses (46, 47)

Risk Assessment

- + Grass pollen allergy vaccine (3)
- + Stevia-derived sweetener, rebaudioside A (18)
- + Animal anaesthetics on pro-inflammatory cytokines (10)
- + Improved risk assessment through various sperm screening parameters (48)
- + Genotoxicity and human health risk of kojic acid (40)

Carcinogenesis

- + Treatment with tumorigenic and non-tumorigenic conazole fungicides (61)
- + Induced and spontaneous lesions in teeth of laboratory animals (60)
- + Mortality and in-life patterns in Han Wistar rat (28)
- + Oral squamous cell carcinoma incidence with a calcium channel blocker and diet (36)

Efficacy and Metabolism

- + Induction of metabolic acidosis of renal and hepatic mitochondria (7)
- + Drug efficacy through inhibition of cellular oxidative metabolism (38)
- + Ranitidine and acetylcysteine administration in barium examination preparation (55)
- + Nicotinic acetylcholine receptor agonists as tomography tracers in the CNS (9, 44)
- + Serotonin neuronal transporter inhibitor fluoxetine (37)
- + Cyclosporine A on expression of Calbindin-D 28 (59)
- + Receptor antagonists, antipsychotic drugs, and amphetamine withdrawal (35, 64, 51, 52, 53)

Pharmacology

- + Reduction of cold-induced cell injury with iron chelators in rat kidney (4)
- + Functional expression of multidrug resistance protein 2 following gentamicin exposure (42)
- + Pyridostigmine bromide on food motivation (58)
- + Hypersensitivity and prepulse inhibition through use of neurotransmitter antagonist (6)
- + Behavioral differences on the peripheral benzodiazepine receptor system (34)
- + Analgesic characterization in a rodent model of osteoarthritis (29)

Selected Pharmaceutical References

Simvastatin

- + Characterization of rat heart alkaline phosphatases including simvastatin (40)
- + Simvastatin effects on endothelial function after chronic inhibition of nitric oxide synthase (46)

Orlistat

- + Fatty-acid amine hydrolase inhibitor affect on triacylglycerol hydrolysis (13)
- + Increase in urinary oxalate excretion through lipase inhibitor (20)
- + Anti-obesity agent, Orlistat, associated with increase in colonic preneoplastic markers (21)
- + The intestine as source of cytotoxic mediators in shock (45)

Bosentan

- + Bosentan ameliorates cyclosporine A-induced hypertension in rats and primates (5)
- + Pharmacological characterization of Bosentan (16)
- + Combination of Bosentan and Sildenafil in monocrotaline model of pulmonary hypertension in rats (17)
- + Bosentan inhibits canalicular bile salt export pump (19)
- + Renal denervation on renal effects of acute nitric oxide and ETA/ETB receptor inhibition (22)
- + Physiological concentration of 17 β -Estradiol on sympathetic reinnervation in ovariectomized infarcted rats (33)
- + Inhibition of *in vivo* constriction of fetal ductus arteriosus by endothelin receptor blockade (39)
- + Effect of Bosentan on the renal response to contrast media (43)

Celecoxib

- + Cyclooxygenase and NO synthase inhibitors on antinociceptive action of acetaminophen (11)
- + Cyclooxygenase and nitric oxide synthase inhibitors on vincristine induced hyperalgesia (12)
- + Prevention of gastric mucosa effects caused by indomethacin and celecoxib (14)
- + Involvement of prostaglandins in inflammation induced by latex (32)
- + Involvement of subcellular organelles in oxidative stress and apoptosis in rat hepatocytes (50)
- + Chemoprevention implications on cell kinetic changes in rat stomach cancer after treatment with celecoxib or indomethacin (63)

References

- Aicher, L., Wahl, D., Arce, A., Grenet, O., Steiner, S. (1998) New insights into cyclosporine A nephrotoxicity by proteome analysis. *Electrophoresis*, 19, 1998-2003.
- Arce, A., Aicher, L., Wahl, D., Anderson, N.L., Meheus, L., Raymackers, J., Cordier, A., Steiner, S. (1998). Changes in the liver protein pattern of female wistar rats treated with the hypoglycemic agent SDZ PGU 693. *Life Sciences*, 63(25): 2243-2250.
- Baldrick, P., Richardson, D., Wheeler, A.W., Wroniecki, S.R. (2004) Safety Study of a New Allergy Vaccine Containing the Adjuvant Monophosphoryl Lipid A (MPL®) for the Treatment of Grass Pollen Allergy. *Journal of Applied Toxicology*, 24, 261-268.
- Bartels-Stringer, M., Wetzel, J.F.M., Wouterse, A.C., Steenberg, E., Russel, F.G.M., Kramers, C. (2005) Iron chelators do not reduce cold-induced cell injury in the isolated perfused rat kidney model. *Nephrology Dialysis Transplantation*, 20, 2646-2653.
- Bartholomew, B., K. J. Hardy, A. S. Nelson, and P. A. Phillips. (1996). Bosentan ameliorates cyclosporine A-induced hypertension in rats and primates. *Hypertension*, 27:1341-1345.
- Bast, T., Zhang, W., Feldon, J. (2001) Hyperactivity, decreased startle reactivity, and disrupted prepulse inhibition following disinhibition of the rat ventral hippocampus by the GABA receptor antagonist picrotoxin. *Psychopharmacology*, 156, 225-233.
- Bento, L.M.A., Fagian, M.M., Versaci, A.E., Gontijo, J.A.R. (2007) Effects of NH4Cl-induced systemic metabolic acidosis on kidney mitochondrial coupling and calcium transport in rats. *Nephrology Dialysis Transplantation*. doi:10.1093/ndt/gfm306.
- Bernstein, D.M., Chevalier, J., Smith, P. (2005) Comparison of Calidria Chrysotile Asbestos to Pure Tremolite: Final Results of the Inhalation Biopersistence and Histopathology Examination Following Short-Term Exposure. *Inhalation Toxicology*, 17, 427-449.
- Bertranda, S., Patt, J.T., Spang, J.E., Westera, G., Schubiger, P.A., Bertranda, D. (1999) Neuronal nAChR stereoselectivity to non-natural epibatidine derivatives. *FEBS Letters*, 450, 273-279.
- Bette, M., Schlomme, S., Mutters, R., Menendez, S., Hoffmann, S., Schulz, S. (2004) Influence of different anaesthetics on pro-inflammatory cytokine expression in rat spleen. *Laboratory Animals*, 38, 272-279.
- Bujalska, M., and W. S. Gumulka. (2008). Effect of cyclooxygenase and NO synthase inhibitors on antinociceptive action of acetaminophen. *Pol. J. Pharmacol.* 53(4):341-350.
- Bujalska, M., and W. S. Gumulka. (2008). Effect of cyclooxygenase and nitric oxide synthase inhibitors on vincristine induced hyperalgesia sia in rats. *Pharmacological Reports*, 60:735-741.
- Carthew, P., White, A., Harries, H., Weber, K. (2006) Transcriptomic and Histopathology Changes in Rat Lung After Intratracheal Instillation of Polymers. *Inhalation Toxicology*, 18, 227-245.
- Cavallini, M. E., N. A. Andreollo, K. Metze, and M. R. Araujo. (2006). Omeprazole and misoprostol for preventing gastric mucosa effects caused by indometacin and celecoxib in rats. *Acta. Cir. Bras.* 21(3):168-176.
- Clapper, J. R., A. Duranti, A. Tontini, M. Mor, G. Tarzia, and D. Piomelli. (2006). The fatty-acid amide hydrolase inhibitor URB597 does not affect triacylglycerol hydrolysis in rat tissues. *Pharmacological Research*, 54:341-344.
- Clozel, M., V. Breu, G. A. Gray, B. Kalina, B. M. Loffler, K. Burri, J. M. Cassal, G. Hirth, M. Muller, W. Neidhart, and H. Ramuz. (1994). Pharmacological characterization of Bosentan, a new potent orally active nonpeptide endothelin receptor antagonist. *The Journal of Pharmacology and Experimental Therapeutics*, 270(1):228-235.
- Clozel, M., P. Hess, M. Rey, M. Iglerz, C. Binkert, and C. Qiu. (2006). Bosentan, sildenaflil, and their combination in the monocrotaline model of pulmonary hypertension in rats. *Exp. Biol. Med* (Maywood); 31(6):967-973.
- Curry, L.L., Roberts, A. (2008) Subchronic toxicity of rebaudioside A. *Food and Chemical Toxicology*, 46, S11-S20.
- Fattinger, K., C. Funk, M. Pantze, C. Weber, J. Reichen, B. Steiger, and P. J. Meier. (2001). The endothelin antagonist bosentan inhibits the canicular bile salt export pump: potential mechanism for hepatic adverse reactions. *Clinical Pharmacology and Therapeutics*, 69(4):223-231.
- Ferraz, R. R., H. G. Tiselius, and I. P. Heilberg. (2004). Fat malabsorption induced by gastrointestinal lipase inhibitor leads to an increase in urinary oxalate excretion. *Kidney International*, 66(2):676-682.
- Garcia, S. B., L. T. C. Barros, A. Turatti, F. Martinello, P. Modiano, A. Ribeiro-Silva, M. C. O. Vespuco, and S. A. Uyemura. (2006). The anti-obesity agent Orlistat is associated with increase in colon preneoplastic markers in rats treated with a chemical carcinogen. *Cancer Letters*, 240(2):221-224.
- Girchev, R., P. Markova, and V. Uchidolova. (2006). Influence of renal denervation on renal effects of acute nitric oxide and ETA/ETB receptor inhibition in conscious normotensive rats. *J. Physiol. Pharmacol.* 57(1):17-27.
- Goicoechea, M., Cia, F., San Jose, C., Asensio, A., Emparanza, J.I., Gil, A.G., Lopez de Cerain, A., Aldazabal, P., Azpitarte, M., Otaegui, D., Lopez de Munain, A. (2008) Minimizing creatine kinase variability in rats for neuromuscular research purposes. *Laboratory Animals*, 42, 19-25.
- Grenet, O., Bobadilla, M., Chibout, S., Steiner, S. (2000) Evidence for the Impairment of the Vitamin D Activation Pathway by Cyclosporine A. *Biochemical Pharmacology*, 59, 267-272.
- Haworth, R., Woodfine, J., McCawley, S., Pilling, A.M., Lewis, D.J., Williams, T.C. (2007) Pulmonary Neuroendocrine Cell Hyperplasia: Identification, Diagnostic Criteria and Incidence in Untreated Ageing Rats of Different Strains. *Toxicologic Pathology*, 35(5): 735-740.
- Hester, S.D., Wolf, D.C., Nesnow, S., Thai, S. (2006) Transcriptional Profiles in Liver from Rats Treated with Tumorigenic and Nontumorigenic Triazole Conazole Fungicides: Propiconazole, Triadimefon, and Myclobutanil. *Toxicologic Pathology*, 34(7): 879-894.
- Hesterberg, T.W., Hart, G.A., Müller, W.C., Chase, G., Rogers, R.A., Magnus, J.B., Everitt, J.J. (2002) Use of Short-term Assays to Evaluate the Potential Toxicity of Two New Biosoluble Glasswool Fibers. *Inhalation Toxicology*, 14, 217-246.
- Hooks, W., Groom, C., Lelasseux, M. (2007) Mortality and in-life patterns in Han Wistar rat tumorigenicity studies, completed over the period of 1994-2006. *Abstracts / Toxicology Letters*, doi:10.1016/j.toxlet.2007.05.581.
- Ivanavicius, S.P., Ball, A.D., Heapy, C.G., Westwood, F.R., Murray, F., Read, S.J. (2007) Structural pathology in a rodent model of osteoarthritis is associated with neuropathic pain: Increased expression of AT-3 and pharmacological characterization. *Pain*, 128, 272-282.
- Junnila, M., Rahko, T., Sukura, A., Lindberg, L.A. (2000) Reduction of Carbon Tetrachloride-Induced Hepatotoxic Effects by Oral Administration of Betaine in Male Han-Wistar Rats: A Morphometric Histological Study. *Veterinary Pathology*, 37, 231-238.
- Keating, E., Lemos, C., Monteiro, R., Azevedo, I., Martel, F. (2004) The effect of a series of organic cations upon the plasmalemmal serotonin transporter, SERT. *Life Sciences*, 76, 103-119.
- Kumar, V. L., and Y. M. Shivkar. (2004). Involvement of prostaglandins in inflammation induced by latex of Calotropis procera. *Mediators Inflamm.* 13(3):151-155.
- Lee, T. M., M. S. Lin, and N. C. Chang. (2008). Physiological concentration of 17β-Estradiol on sympathetic reinnervation in ovariectomized infarcted rats. *Endocrinology*, 149(3):1205-1213.
- Lehmann, J., Weizman, R., Leschner, S., Feldon, J., Gavish, M. (2002)
- Martel, F., Monteiro, R., Lemos, C., Vieira-Coelho, M.A. (2004) In vitro and in vivo effect of fluoxetine on the permeability of 5H-serotonin across rat intestine. *Canadian Journal of Physiology and Pharmacology*, 82, 940-950.
- Masereeuw, R., van Pelt, A.P., van Os, S.H.G., Willems, P.H.G.M., Smits, P., Russell, F.G.M. (2000) Probenecid interferes with renal oxidative metabolism: A potential pitfall in its use as an inhibitor of drug transport. *British Journal of Pharmacology*, 131(1): 57-62.
- Momma, K., T. Nakaniishi, and S. Inamura. (2003). Inhibition of in vivo constriction of fetal ductus arteriosus by endothelin receptor blockade in rats. *Pediatric Research*, 53(3):479-485.
- Mota, A., Silva, P., Neves, D., Lemos, C., Calhau, C., Torres, D., Martel, F., Fraga, H., Ribeiro, L., Alçada, M.N.M.P., Pinho, M.J., Negrão, M.R., Pedrosa, R., Guerreiro, S., Guimarães, J.T., Azevedo, I., Martins, M.J. (2008) Characterization of rat heart alkaline phosphatase isoenzymes and modulation of activity. *Brazilian Journal of Medical and Biological Research*, 41, 600-609.
- Nohynka, G.J., Kirkland, D., Marzin, D., Toutain, H., Leclerc-Ribaud, C., Jinai, H. (2004) An assessment of the genotoxicity and human health risk of topical use of kojic acid [5-hydroxy-2-(hydroxymethyl)-4H-pyan-4-one]. *Food and Chemical Toxicology*, 42, 93-105.
- Notenboom, S., Wouterse, A.C., Peters, B., Kuik, L.H., Heemskerk, S., Russel, F.G.M., Masereeuw, R. (2006) Increased Apical Insertion of the Multidrug Resistance Protein 2 (MRP2/ABCC2) in Renal Proximal Tubules following Gentamicin Exposure. *Journal of Pharmacology and Experimental Therapeutics*, 318, 1194-1202.
- Oldroyd, S. D., J. L. Taylor, and S. K. Morcos. (1995). Bosentan, an orally active endothelin antagonist: effect on the renal response to contrast media. *Radiology*, 196:661-665.
- Patt, J.T., Spang, J.E., Westera, G., Buck, A., Schubiger, P.A. (1999) Synthesis and In Vivo Studies of [C-11]N-Methylepibatidine: Comparison of the Stereoisomers. *Nuclear Medicine and Biology*, 26, 165-173.
- Penn, A. H., and G. W. Schmid-Schönbein. (2008). The intestine as source of cytotoxic mediators in shock: free fatty acids and degradation of lipid-binding proteins. *Am. J. Physiol. Heart Circ. Physiol.* 294(4):H1779-1792.
- Perez-Guerrero, C., Alvarez de Sotomayor, M., Jimenez, L., Herrera, M.D., Marhuenda, E. (2003) Effects of Simvastatin on Endothelial Function After Chronic Inhibition of Nitric Oxide Synthase by LNAME. *Journal of Cardiovascular Pharmacology*, 42(2): 204-210.
- Pezze, M.A., Bast, T., Feldon, J. (2003) Significance of Dopamine Transmission in the Rat Medial Prefrontal Cortex for Conditioned Fear. *Cerebral Cortex*, 13(4): 371-380.
- Pezze, M.A., Feldon, J., Murphy, C.A., (2002) Increased conditioned fear response and altered balance of dopamine in the shell and core of the nucleus accumbens during amphetamine withdrawal. *Neuropharmacology*, 42, 633-643.
- Plassmann, S., Urwyler, H. (2001) Improved risk assessment by screening sperm parameters. *Toxicology Letters*, 119:157-171.
- Rezaei, M., H. R. Rasekh, A. Ahmadiani, and J. Pourahmad. (2008). Involvement of subcellular organelles in inflammatory pain-induced oxidative stress and apoptosis in the rat hepatocytes. *Arch. Iranian Med.* 11(4):407-417.
- Russig, H., Murphy, C.A., Feldon, J. (2002) Clozapine and Haloperidol Reinstate Latent Inhibition Following its Disruption during Amphetamine Withdrawal. *Neuropharmacology*, 26(6): 765-777.
- Russig, H., Murphy, C.A., Feldon, J. (2003) Prepulse inhibition during withdrawal from an escalating dosage schedule of amphetamine. *Psychopharmacology*, 169, 340-353.
- Russig, H., Pryce, C.R., Feldon, J. (2006) Amphetamine withdrawal leads to behavioral sensitization and reduced HPA axis response following amphetamine challenge. *Brain Research*, 1084, 185-195.
- Sampaio-Maia, B., Moreira-Rodrigues, M., Pestana, M. (2006) Role of Chronic Inhibition of Dopamine-Metabolizing Enzymes in the Regulation of Renal Sodium and Phosphate Excretion in the Rat Remnant Kidney. *Nephron Physiology*, 103, 14-24.
- Steenberg, P.A., Van Amelsvoort, L., Lovik, M., Helstad, R.B., Alberg, T., Halakat, T., Bloemen, H.J.T., Rydzynski, K., Swaan, G., Schwarze, P., Dybing, E., Cassee, F.R. (2006) Relation Between Sources of Particulate Air Pollution and Biological Effect Parameters in Samples from Four European Cities: An Exploratory Study. *Inhalation Toxicology*, 18, 333-346.
- Sugino, Y., Semmler, W. (2004) Experimental Study of the Rat for the Assessment of Barium Coating on the Gastric Mucosa: Efficacy of Ranitidine and Acetylcysteine Administration. *Radiation Medicine*, 22(3): 173-178.
- Van de Water, F.M., Boerman, O.C., Wouterse, A.C., Peters, J.G.P., Russel, F.G.M., Masereeuw, R. (2006) Intravenously Administered Short Interfering RNA Accumulates in the Kidney and Selectively Suppresses Gene Function in Renal Proximal Tubules. *Drug Metabolism and Disposition*, 34(8): 1393-1397.
- Van Haaren, F., Haworth, S.C., Bennett, S.M., Cody, B.A. (2001) The effects of pyridostigmine bromide on progressive ratio performance in male and female rats. *Pharmacology, Biochemistry, and Behavior*, 68, 81-85.
- Varela, M., Arce, A., Greiner, B., Schwald, M., Aicher, L., Wahl, D., Grenet, O., Steiner, S. (1998) Cyclosporine A-induced Decrease in Calbindin-D 28 kDa in Rat Kidney but not in Cerebral Cortex and Cerebellum. *Biochemical Pharmacology*, 55, 2043-2046.
- Weber, K. (2007) Induced and Spontaneous Lesions in Teeth of Laboratory Animals. *Journal of Toxicologic Pathology*, 20, 203-213.
- Wolf, D.C., Allen, J.W., George, M.H., Hester, S.D., Sun, G., Moore, T., Thai, S., Delker, D., Winkfield, E., Leavitt, S., Nelson, G., Roop, B.C., Jones, C., Thibodeaux, J., Nesnow, S. (2006) Toxicity Profiles in Rats Treated with Tumorigenic and Nontumorigenic Triazole Conazole Fungicides: Propiconazole, Triadimefon, and Myclobutanil. *Toxicologic Pathology*, 34(7): 895-902.
- York, M., Scudamore, C., Brady, S., Chen, C., Wilson, S., Curtis, M., Evans, G., Griffiths, W., Whayman, M., Williams, T., Turton, J. (2007) Characterization of Troponin Responses in Isoproterenol-Induced Cardiac Injury in the Hanover Wistar Rat. *Toxicologic Pathology*, 35(4): 606-617.
- Yu, J., B. D. Tang, W. K. Leung, F. K. To, A. H. C. Bai, Z. R. Zeng, P. K. Ma, M. Y. Y. Go, P. J. Hu, and J. J. Y Sung. (2005). Different cell kinetic changes in rat stomach cancer after treatment with celecoxib or indometacin: implications on chemoprevention. *World Journal of Gastroenterology*, 11(1):41-45.
- Zhang, W., Bast, T., Feldon, J. (2000) Microinfusion of the Non-competitive N-Methyl-d-Aspartate Receptor Antagonist MK-801 (Dizocilpine) into the Dorsal Hippocampus of Wistar rats does not Affect Latent Inhibition and Prepulse Inhibition, but Increases Startle Reaction and Locomotor Activity. *Neuroscience*, 101(3): 589-599.

Contact us

EU and Asia envigo.com/contactus



Envigo RMS Division, 8520 Allison Pointe Blvd., Suite 400, Indianapolis, IN 46250, United States

© 2016 Envigo.

RMS-0116-EU-01-DS-135